

Use SIP Trunk / VoIP Phone Service

How to configure Voip.ms with Ecsow Dialer / Voice Broadcast?

1, Setting up VoIP.ms

The first thing is adjusting the Device type. To do so please navigate to **Main Menu ? Account settings ? Inbound Settings** and make sure that the Protocol for Inbound DIDs is set to "SIP" and that the Device type is set to "IP PBX Server" and apply any changes made.

The screenshot shows the Voip.ms Customer Portal interface. At the top right, there are links for 'English', 'Live Chat', 'Support Tickets', and 'Logout'. The main navigation bar includes 'Main Menu', 'DID Numbers', 'Sub Accounts', 'CDR and Reports', 'Finances', 'Support', 'Rates', and 'Reseller'. A dropdown menu is open under 'Main Menu', showing options: 'Portal Home', 'Account Information', 'Account Settings' (highlighted with a red circle and a '2'), 'Contact Information', 'SOAP and REST/JSON API', and 'Logout'. Below this, the 'Inbound Settings' tab is selected (highlighted with a red circle and a '3'). The settings form includes: 'Protocol for inbound DIDs' set to 'SIP' with an 'Apply' button; 'Device type' set to 'IP PBX Server, Asterisk or Softswitch' with an 'Apply' button; and an 'Apply All' button at the bottom.

Dialing mode

Next, we are going to set our **dialing mode** under **General setting**, Choose American Numbering Plan Administration and apply the changes.

The screenshot shows the 'General' settings page in the Voip.ms Customer Portal. A red dashed box highlights an information message: 'Dialing Mode set to North America'. Below this, there is a link for 'For Connection Information Click here'. The 'General' tab is selected (highlighted with a red circle and a '4'). The settings form includes: 'e911 Default CallerID' set to 'None' with an 'Apply' button; 'Dialing Mode' set to 'American Numbering Plan Administration (NANPA)' with an 'Apply' button; 'CallerID Number' set to '8573438129' with an 'Apply' button and a note 'Your 10 digits number, without the 1 prefix.'; 'Voicemail Associated to the Main Account' set to 'none' with an 'Apply' button; and 'Music On Hold' set to 'No Music' with a checkbox for 'Check to apply to all sub accounts' and an 'Apply' button. An 'Apply All' button is at the bottom.

DID Management

Use SIP Trunk / VoIP Phone Service

Make sure that the DIDs ordered are linked to your account. To do so navigate to **DID Numbers / Manage DID(s)**. Click on the **Edit DID icon** and make sure that the routing points to **SIP/IAX** on your main account.

English ▼ **Chat Offline** Support Tickets Logout

Customer Portal **VOIP.NS** Main Menu DID Numbers Sub Accounts CDR and Reports Finances Support Rates Reseller

Manage DID Numbers

Cancel DID's Wiki Article

Search DIDs

Main Account inbound Settings

Help

Export Account DIDs

Click on the rows to change settings of multiple DIDs

DID Numbers

Select All

Show 10 entries

Search:

Actions	Description	Number	Options	Routing	Note	VM	RT	POP
	BOSTON, MA	857.343.8129		[SIP] Main Account		none	60	New York

Showing 1 to 1 of 1 entries

Previous **1** Next

?

?

FAX Numbers

English ▼ **Chat Offline** Support Tickets Logout

Customer Portal **VOIP.NS** Main Menu DID Numbers Sub Accounts CDR and Reports Finances Support Rates Reseller

Edit DID Settings

Edit DID

DID: 8573438129, BOSTON

Routing ? Show Failover Options

- SIP/IAX [main account] SIP/222409
- IVR No IVR found
- Calling Queue No Calling Queues found
- Time Conditions No Condition entries found
- Call Forwarding No forwarding entries found
- Audio Conferencing No conference entries found
- SIP URI No SIP URI found
- Ring Group No group found
- Call Hunting No call hunting found
- Play Recording No recordings found
- Callback No Callback found
- DISA No DISA found
- Voicemail No Voicemail found

Save the configuration when choosing the correct account.

Page 2 / 5

(c) 2026 Round <evaer.com@gmail.com> | 2026-05-01 22:56


URL: <https://www.ecsow.com/faqindex.php?action=artikel&cat=12&id=46&artlang=en>

Use SIP Trunk / VoIP Phone Service

Account information

In order to register and operate the trunk in Ecsow, you will have to collect some information that will be needed in the configuration of the trunk.

- **Username:** The username for registering the trunk can be found under **Main Menu ? Account Information**



- **Password:** The trunk password can be found in the email you received from VoIP.ms during the registration process. You can also change the password by navigating to **Main Menu ? Account Settings ? Security**.

Use SIP Trunk / VoIP Phone Service

The screenshot shows the VoIP.ms Customer Portal. At the top, there is a navigation bar with 'English', 'Chat Offline', 'Support Tickets', and 'Logout'. Below this is a 'Main Menu' with options: 'Portal Home', 'Account Information', 'Account Settings' (highlighted with a red circle and a '1'), 'Contact Information', 'SOAP and REST/JSON API', and 'Logout'. A large 'Accounts' watermark is visible in the background. Below the menu is a 'Security' tab (highlighted with a red circle and a '2') among other tabs like 'Account Routing', 'Account Restrictions', 'General', 'Inbound Settings', 'Notifications', 'Default DID Routing', 'Newsletter', and 'Advanced'. The main content area is titled 'These settings let you change your "Customer Portal" password as well as your SIP and IAX passwords for the main account.' It contains three sections: 'Customer Portal Password' with fields for 'Enter Current Password', 'New Password', and 'Confirm new password'; 'Main SIP/IAX Password' with fields for 'Current SIP/IAX Password', 'New Password', and 'Confirm New Password', and a 'Set Random Password and Send Email' button; and 'Foreign IP Guard' with a checked 'Enable Foreign IP Guard' checkbox and an 'Apply' button. A red circle with a '3' highlights the 'Main SIP/IAX Password' section. At the bottom of the form is an 'Apply All' button.

- **DID Number:** The DID numbers can be seen by navigating to **DID Numbers ? Manage DID(s)**
- **Registrar:** Go to **Main Menu ? Account Settings ? Default DID Routing**. From here, make note of the selected server. In this example, the server in New (newyork.voip.ms) will be the one used for our configuration.

2, Configuring the Trunk on the Ecsow dialer

1. **Display Name:** Add your **DID number**
2. **SIP ID/User Name:** Your VoIP.ms user account found under **Main Menu ? Account Information**
3. **Domain:** Is the registrar assigned under **Menu ? Account Settings ? Default DID Routing** of your VoIP.ms account, example **(newyork.voip.ms)**
4. **Password:** VoIP.ms password found under **Main Menu ? Account Settings ? Security**

Use SIP Trunk / VoIP Phone Service

Options

General SIP Account Do-Not-Call Voice Activity Detection Call Transfer Preset Call Script Advanced

Account information from your SIP VoIP service provider

Display Name 8573738129 ← Your DID number

SIP ID/User Name 4472450 ← Your SIP user account

Domain newyork.voip.ms ← Your SIP registrar address

Authorization User 4472450 ←

Password ← Your VoIP.ms password

Outbound Proxy

Send outbound calls via:

Domain

Proxy

Concurrent Calls

Number of concurrent calls 1

* SIP service must support multiple channels if you want to run concurrent calls

Advanced Settings

OK Cancel

Once you have finished configuring your trunk settings, you can click OK button to save your settings and Ecsow will try to connect it.

Let us know if you run into any issues, you can send us an email at support@ecsow.com.

Unique solution ID: #1045

Author: eva

Last update: 2024-08-06 10:07